

.

From: Piro, Peter (DPH)
Sent: Wednesday, March 21, 2012 8:15 AM
To: Hanchett, James (DPH)
Cc: Nassif, Julianne (DPH)
Subject: FW: vacuum pump

Hi Jim,
We have an Edwards 1.5 that has a good vacuum but is leaky. We can install a new cork seal on the oil pan to hopefully fix the leak without doing the entire overhaul. You can pick it up this week if you'd like.
Pete

From: Nassif, Julianne (DPH)
Sent: Wednesday, March 21, 2012 7:58 AM
To: Piro, Peter (DPH)
Subject: Fw: vacuum pump

From: Hanchett, James (DPH)
Sent: Wednesday, March 21, 2012 07:44 AM
To: Nassif, Julianne (DPH)
Subject: RE: vacuum pump

From: Nassif, Julianne (DPH)
Sent: Tuesday, March 20, 2012 3:18 PM
To: Hanchett, James (DPH)
Subject: FW: vacuum pump
Importance: High

Hi Julie,
The pump was a Pfeiffer, but an Edwards will work as long as the pumps have an inlet with a NW25 flange.

Thanks,

Jim

From: Piro, Peter (DPH)
Sent: Tuesday, March 20, 2012 3:17 PM
To: Nassif, Julianne (DPH)
Subject: RE: vacuum pump

I should be able to give him one. Does he need the Edwards or Pfeiffer?

From: Nassif, Julianne (DPH)
Sent: Tuesday, March 20, 2012 3:01 PM
To: Salemi, Charles (DPH); Piro, Peter (DPH); Servizio, Paul (DPH); Kane01, Peter (DPH)
Subject: vacuum pump
Importance: High

Do we have a spare vacuum pump that Jim Hanchett can borrow until he is able to get a replacement?
Julie

Julianne Nassif
Director of Analytical Chemistry
William A. Hinton State Laboratory
Massachusetts Department of Public Health
305 South Street Boston, MA 02130
617.983.6651 (voice) 617.983.6662 (fax)